


APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 1



09309766-0519
65T50"99260660

FIG. 3A






FIG. 3B



09309766-05199 66T50" 99260E60

FIG. 4


ADSORPTION CHARACTERISTICS OF NONEVAPORABLE GETTER (H_2O)



66T50 " 99260E60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


FIG. 5



66T50" 99460E60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


FIG. 6



09309736-05199
66T50-99260260

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


FIG. 7



65T50" 99260E60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


FIG. 8



09309766-0519 66T50-99260E60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


FIG. 9



66750" 99260E60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


FIG. 10



66750" 99260E60


APPROVED BY DRAFTSMAN	O.G. FIG.	
	CLASS	SUBCLASS

FIG. 11



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


FIG. 12



66T50" 99460660


APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 13



66750-99260E60

FIG. 14



66T50" 99260E60

FIG. 15A




FIG. 15B




FIG. 15C




FIG. 15D




FIG. 15E





FIG. 15F



65T50" 99260E60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

66T50" 99260E60

FIG. 16A




FIG. 16B




FIG. 17A






FIG. 17B



66T50" 99260E60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 18



09309766-051139